

Early Journal Content on JSTOR, Free to Anyone in the World


This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.


Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.





[124]

effectus bis e. Similiter patet actione ter a produci debere effectum ter e, &c. Immo in genere, actione na (=A) produci debere effectum ne (=E). Est igitur A:a::E:e, hoc est, actiones sunt in ratione effectuum.

Theorema 12 nostrum.

Vires sunt in ratione composita massarum & celeritatum.

Demonstratio.

Per Theorema 4. actiones sunt in ratione composita temporum & virium. Per Theorema 11, eædem sunt in ratione effectuum. Ergo effectus sunt in ratione composita temporum & virium. At per Theorema 8, effectus sunt in ratione composita massarum atque spatiorum. Ergo ratio composita temporum et virium par est rationi compositæ massarum atque spatiorum. Unde vires sunt in ratione composita massarum et spatiorum directe, et temporum reciproce; h. e. in ratione composita massarum et celeritatum. Q. E. D.

Read March 13. HE Head and Horns, which is repre-1745-6. fented in TAB. I. Fig. 2. were found in a Sand-bed, in the River Rye, which runs into the Derwent,

V. An Account of Two extraordinary Deers Horns, found under-ground in different Parts of Yorkshire; in a Letter from Mr. Tho. Knowlton, to Mr. Mark Catesby, F. R. S.

[125]

Derwent, in the East Riding, belonging to Ralph Crathorn, Eig. They were discovered as he was fishing for Salmon; the Net happening to hang on one or two of the Antlers, he ordered to pull away; by which some of the Antlers were broke off, and discovered it to be Part of a Deer's Horn. At length, with some Difficulty, it was dug out pretty intire. Mr. Crathorn supposes, that these wild Moors were once inhabited with these Kind of Deer, not any such now being known to be in this Kingdom; and supposes it is, at least, seven or eight Hundred Years since its Death; and that by Age or Poverty destroyed, and by Time buried in those Sands. It is about three Years since it was found (as the above-said worthy Gentleman told me) where he lives; which is at Nefs near Malton in Yorkshire.

TAB. I. Fig. 2.

a is 12 Inches long.

b is ditto.

c is ditto.

d is 4 Inches from the main Horn, and the two cross Branches are 8.

e is 6 Inches.

f is 7 Inches.

g is 6 Inches; and 2 Feet 10 Inches from the Root of the Horn to the Tip.

All those Places with Marks were broke, and put together again.

TAB. I. Fig. 3.

St. 1b.

This Skull and Horns weigh — 4 12

[126]

It was found in a Peat-Moss, at Cowthrop near North Dreighton in Yorkshire, in the Year 1744.

	Ft.	Inches,
The Length of the Skull, from the Nose End } mark'd A, to the Back-Part of the Head B,	I	10
The Breadth of the Forehead, from C to C	0	II
Length of each Horn, from the Skull \mathcal{D} to $\{$	5	1
The Extent of the Horns, from E to E	б	1
The Breadth of the Webor Palm, from FG to F ,	2	I
FG and G, two Places where the Horns are		
broke.		

- r The Nostrils.
- 2 The Eye.
- 3 The Teeth, which are very large and found.

N. B. It is evident the Horns are not at their full Growth, being yet covered with what is called the Velvet.

The Figure above is the Representation and extraordinary Dimensions of the Skull and Horns of a Deer, dug from the Depth of 6 Feet out of a Peat-Moss, as above mentioned.

But what I think more extraordinary is, that the late Earl of Carlifle's Steward, Mr. Joice, in digging the Foundation of an House and Cellars, found, at the Depth of 6 Feet, a Part of a Jaw-bone with Teeth, and a Horn of a Buck or Stag, of most exceeding large Dimensions, which lay buried under two Feet common Soil; then one Foot of Scalping or Sand-bed; then eighteen Inches of Stone; then another Vein of Sand, six Inches; then another Head of Stone; under

[127]

under which lay those before-mention'd Jaw-bone, and Piece of Horn; which, in all Appearance, to every one that viewed these *Stratums*, had never been removed.

M. C.

Dimensions of the Deers Horns in the Museum of the ROYAL SOCIETY.

			Feet Inches.		
Length of the Skull	-	-		I	4
Breadth of the Forehead			•	0	9
Length of each Horn	*	~		5	0
Distance of the extreme T	ips of	the Ho	rns	6	O

N. B. These Horns (Fig. 2.) are evidently of the same fort as those often found in *Ireland*, of which Descriptions are given in *Transact*.

n. 227, n. 394. and n. 444, p. 389. But I do not remember to have met with any before of this Species found in *England*, or any-where else besides *Ireland*.

C. M.

VI. The Phænomena of Venus, represented in an Orrery made by Mr. James Ferguson, agreeable to the Observations of Seignior Bianchini.

Read March 20. 1745-6. N all the Orreries that I have feen, Venus is represented as having her Axis perpendicular to the Plane of the Ecliptic, and her diurnal Motion thereon equal to 23 Hours of our terrestrial Time. Hence, as her annual Motion is performed in about 225 of our Days, it will contain 234 of hers; consequently, to an Eye placed in Venus, the Sun will always appear to go R